





Page 1

١/-	:	
ve	rsion	

Date

Change/additions

3.13.00

Jan, 18th 2017

Configuration

- New features added:
- ECU driver Builder
- GSP_POS_Accuracy channel is available for display and CAN output (new firmware 1.22.99 for MX family and EVO family is required)
- New RPM scales for 'Rally Page'
- Tire temperature sensor
- Minor bug fixed

3.12.15

Dec, 6th 2016

Download

Fixed bug that could generate data shift of some channels only in case of multiple download

Configuration

■ Bug fix: GPS Speed could not be selected from channels expander dropout

3.12.14

Dec, 2nd 2016

Configuration

- Fixed bug for which in some cases the slaves configuration, upon transmission, could not be forwarded to slave units
- Fixed crash in settings window that could happen for all devices, improved also settings filter to avoid useless parameters repetitions

Download

- Fixed management of test types during download, now the software correctly keeps last user choice
- Minor fixes in download window tooltips and in error messages management (messages could be erroneously shown more than one time)
- Fixed bug for which the csv exports in RS3 download could offer a low precision in timing
- Improved csv exports to manage also GPS position accuracy
- Fixed bug for which there could be few bad samples at the end of the drk xrk/drk/csv files for high frequency sampled channels

Tracks

- Minor fixes in nations management (i.e. Aruba)
- Minor fix in track creation window to allow a name change refering only to letters case (i.e. monza -> Monza)
- Fixed bug for which tracks filter could not be saved and tracks list could not be correctly updated after a change in nations settings







Page 2

Vei	rsio	n

Date

Change/additions

3.12.10

Nov, 22nd 2016

Configuration

- Improvement: in the download window the error message that is prompted in case of problems has been made more meaningful for determining what happened
- Fixed bug in download that could lead to crashes when exporting to MatLab format
- Fixed bug for which, during download, in case of big "xrk" files, the convertion to ".drk" could lead to bad values in logged channels
- Some minor fixes (tooltips and drawing imperfections) in the download window in case of mov files download from SD or SmartyCam

Analisys

■ Fixed bug for which the satellites number in analysis saturated to a maximum number of 20, while GPS08 receivers can go over that number due to the use of more constellations (GPS-Glonass) than the GPS05 (GPS only)

3.12.06

Nov, 11th 2016

Download

Fixed bug for which RS3 could show a warning message on max 100 MB download in wrong cases and other improvements

Tracks

■ Faster tracks download from web

Configuration

Fixed bug in alarm settings: it wasn't possible to manage colored measures

3.12.00

Oct, 25th 2016

Download

- Improved data download speed: USB comm speed, data conversion from xrk (logged by devices) to drk (for RS2Analysis)
- Added possibility to merge several xrk files into one single drk file
- In download window now it's possible to skip automatic selection of sessions made of one single lap, like it was in RS2
- Fixed bugs that could lead to crashes in case some different output format (eg. MatLab or NI) was selected in download phase
- Automatic naming for downloaded xrk files now let users avoid automatic insertion of original file name and logger ID into file name

Tracks

• Fixed bug for which it was impossible to save a new track when it was open shaped and very long (longer than 16 km)

AiM Software Documentation

January, 18th 2017



Race Studio 3 Release history

Page 3

Version Date

Change/additions

- Added possibility to modify an AiM track into a user track in case anyone would want to modify the track shape
- During track creation/modification now the RS3 better checks if the beacon position is compatible
 with the track shape loaded, and coordinates edit boxed better allow for decimal figures
- During track creation, upon request to users to share data with AiM, now the shape of all laps (instead of the shape of one single lap) is shared. This for AiM labs to have more data to release a better map

Configuration

- Fixed bug for which it was possible for users to enter channel names using non ASCII fonts
- Minor bug fixes in configuration management
- Added alert window to inform the user that replacement of original instrumentation cluster may disable some of the bike functions
- In channel settings window it is now possible to set also the short name

Analysis

 Bugfix in RS2Analysis to avoid the measure units change in potentiometer channels, that sporadically occurred to some customers

General

- Fixed some bugs for which the software could crash while closing and prevent a new instance from being run
- While closing the software the main window is kept open untill all internal memory cleanup is finished

■ ECU stream released:

Manufacturer	Model	Compatib.	Description
AIM	CAN_500kbits	All	
AIM	CAN_1Mbit	All	
FORD	MUSTANG_2015	All	
PORSCHE	CAYMAN_981_GT4_ClubSport	All	
PORSCHE	991_GT3_R_SMC	All	
APRILIA	RSV4	All	
APRILIA	RSV4_APRC	All	
BMW	BIKE_S1000RR	All	
BMW	BIKE_S1000RR_2015	All	
DUCATI	1098_S	All	
DUCATI	1299	All	
DUCATI	ECU_NEMESIS_2	All	
DUCATI	HYPERMOTARD	All	
DUCATI	MULTISTRADA_1200	All	
DUCATI	Marelli_IAW_5.9	All	







Page 4

Version Date

Change/additions

DUCATI	PANIGALE	All	
KAWASAKI	KIT_RACING	All	
KAWASAKI	ZX10R 2016	All	
MV AGUSTA	F3	All	
MV_AGUSTA	F4	All	
TRIUMPH	BIKE K LINE	All	
TRIUMPH	DAYTONA_675	All	
YAMAHA	CAN 2015	All	

CAN2 stream released:

Manufacturer	Model	Compatib.	Description
BRIGHTWATER	TPMS	All	
HEWLAND	GCU	All	
TIRE_WATCH	TPMS	All	

■ Upgrade/Bug Fix:

Manufacturer	Model	Compatib.	Description
HONDATA	K_PRO		Fixed channels management
OPEL	ASTRA_TCR_2016		Changed ECU driver name
TEXYS	IRN4C		Corrected last CAN2 channel

3.11.08 Sep, 15th 2016

Fixed bug about importing configuration: bitfield channels are now correctly imported

3.11.03 Jul, 22nd 2016

- Wi-Fi: Communication is now more reliable
 - Updated icon and menu
- Minor bugfix

3.11.01 Jul, 1st 2016

- Supporting EVO4S
- Added automatic track updates from web
- Added tooltip that explains how to use quick filter search editbox
- Added new tracks
- Fixed minor bugs: a name previously used for a configuration erased from disk, can now be reused
- Fixed minor bugs: after deleting expansions in a configuration, is now asked to save before close
- Fixed minor bugs: clicking 'Save As' configuration, also CAN output data is now saved







Page 5

Version Date
3.10.12 Jun, 17th 2016

Change/additions

- Minor improvement to better message the user that tries to launch two instances of Race Studio 3
- In case a device is connected both via USB and via WiFi the connection name is reflected also in tab name
- Bugfixes in custom sensor import to correctly manage the update button and (eventually) deprecated sensors
- Bugfix in management of WiFi password
- Bugfix in shown date/time of configuration
- Improvement, in the configurations DB, of the "cloned on..." "cloned on..." "received on..." notes
- Bugfix in sending tracks to devices (via USB an error in transmission was possible, resulting in no tracks sent to devices)

3.10.10 Jun, 9th 2016

- New track management enabled for all devices, with software recognizing if a single device can receive new tracks or not
- User interface fixes for windows in which it was impossible to scroll (hence possibly hiding parts of the window)
- Fixes to avoid wrong settings, like inserting an ampty channel name
- Improvements in potentiometers calibration interface
- Improvements and fixes in importing custom sensors from a configuration
- Minor fixes in web updates feature
- Fixes to avoid bad configurations while disabling/clearing/substituting alarms
- New tracks and ECU protocols
- WiFi communication fixes on both native Windows and virtualized Windows (i.e. MacOS with Parallels/VirtualBox/VMWare)

■ ECU stream released:

Manufacturer	Model	Compatib.	Description
MOTEC	M1_500k	All	
MOTEC	M130_TRIUMPH675R_BSS	All	
POLARIS	RZR	All	
BOSCH	MS 5.8 F3 2014	All	
MECTRONIK	MV_ECU_KIT_476_1Mbit	All	
BMW	MINI_CHALLANGE_2016	All	

CAN2 stream released:

Manufacturer	Model	Compatib.	Description
WIRELESS_MOTORSPORT	BIOTELEMETRY_CAN0	All	

■ Upgrade/Bug Fix:

Manufacturer	Model	Compatib.	Description
NISSAN	350Z	All	Corrected Steering Wheel angle channel







Page 6

Ver	sion	

Date

Change/additions

3.10.00

May, 9th 2016

■ New device added: MXS Strada

New tracks added

3.09.01

Apr, 28th 2016

Race Studio Analysis

Minor fixes in Data Export functionality

Race Studio 3

- Fix: some pixelation problems that could happen to icons on some PCs (depending on graphic hardware)
- Fix: bug in Configuration Parameters: GPS Beacon 'Track Width' value could not be updated
- Fix: CanOutput: Expansions Channels were lost when using Import/Clone
- Fix while downloading data in order to prevent cases in which lap type was bad in drk files, generating a bad best lap time in analysis
- New tracks added

3.09.00

Apr, 20th 2016

- RS3 Startup has been made quicker, also through the introduction of a new start screen picture, that doesn't bring users to configurations database. The start screen picture is user customizable
- CAN Output feature has been introduced into configuration
- Tracks (and configuration) database "Quick filter" behaviour has been improved
- Measure Units in downloaded files now are coherent with units used in live measures functionality
- After opening a configuration, if it features some custom sensors that are missing in RS3 custom sensors list, RS3 enables the users to add them to the list
- New tracks added

PLEASE PAY ATTENTION that minimum firmware needed to use the CAN Output feature is:

- 1.18.21 for MXG-MXL2-MXS
- 1.20.64 for EVO5

Such firmware is included into this RaceStudio3 release, just to be sure that users get it also without specifically downloading it.

■ ECU stream released:

Manufacturer	Model	Compatib.	Description
OPEL	Astra_OPC_TCR_2016	All	
ALFA ROMEO	GIULIETTA_TCR_Life	All	

AiM Software Documentation





Race Studio 3 Release history

Page 7

Version Date

Change/additions

PEUGEOT	308_TCR	All	
HONDA	Civic_TCR_H56	All	
MARELLI	MYGALE_F4	All	
LIFE	MYGALE_F4	All	
MAZDA	MX5 ND GEMS	All	
BOSCH	FunCup_40VWHX3A_2	All	
HONDATA	KPRO4_CAN	All	
EFI_EUROPE	EURO_2_V061	All	
WALBRO	BIMOTA_DB9	All	
ABIT	KORVET_M11	All	
IGNITECH	IGNIJET_12A	All	
LINK	CAN_500k_BUS_BASE_LCC	All	
LAMBORGHINI	Huracan_GT3_040	All	
BENTLEY	Continental_GT3_040	All	
MERCEDES	GT_GT3_042	All	
AUDI	R8_LMS_GT3_038	All	
PORSCHE	991_GT3_R_041	All	
CORVETTE	C7_GT3_R_0	All	
BMW	M6_GT3_043	All	

■ Upgrade/Bug Fix:

Manufacturer	Model	Compatib.	Description
SEAT_Sport	Leon_TCR	All	Add channels
MERCURY	PORT_OUTER_ENGINE	All	Change CAN bus setting
MERCURY	STARBOARD_OUTER_ENGINE	All	Change CAN bus setting
BOSCH	MS4_SP_T_40CSTX20	All	Change CAN bus setting
BOSCH	MS4_SP_T_40CSTX30	All	Change CAN bus setting
BOSCH	MS44_SP_T_44CSTX20	All	Change CAN bus setting

3.08.11 Mar, 23rd 2016

- Fix on potentiometers management, the travels of which could result zeroed upon software or firmware updates
- Fix on user interface: previously it was possible to delete AiM tracks
- Fix on user interface: RS3 prompts a message box when trying to export a configuration being modified
- Fix on custom sensors: after renaming a custom sensor a RS3 restart was needed before being able to open the sensor again
- New tracks added
- Minor improvements



Page 8

Version	Date	Change/additions
Version	Date	Change/additions

3.08.10 Mar, 15th 2016 Fixed

Fixed bug in configuration when changed ECU protocol

3.08.09 Mar, 14th 2016 ■ Fixed problem in Race Studio 3 executable file downloading from various browsers,

using a new certificate

3.08.06 Mar 3rd 2016 New ECU drivers added (detailed separately)

• Fixed cases in which, after receiving a track from MyChron5, modifying it on the PC and transmitting it back to the MyChron5, the track was shown twice into the MyChron5 tracks menu

- Changed the interface of the "Upload to AiM" user dialog window
- In device configuration the numbering of bitfield values has been modified (from "0 -> 7" to "1 -> 8")
- Minor fixes into the track editing window in case of small tracks
- New tracks added or modified
- Bugfix: if one of the fields used for creating xrk file path included a trailing whitespace the download would abort without notifying user about possible reasons
- Changed UI name in RS3 for SD cards from SmartyCams, in order to avoid possible confusion with EVO5 SD cards
- RS3 startup speed has been improved

■ ECU stream released:

Manufacturer	Model	Compatib.	Description
KMS	MD35_ETC	All	
EMS	EM_TECH	All	
HONDA	Civic_2006_2011	All	
HONDA	Civic_2012	All	
MOTEC	M130_BIKE	All	
MAZDA	MX5_ND	All	
LIFE	WOLF_CAN	All	
MERCURY	FCR12	All	
MOTEC	VCS_TransCompound_Full_500k	All	
AUDI	TT_Cup_TCR	All	
SEAT_Sport	Leon_TCR	All	

CAN2 stream released:

Manufacturer	Model	Compatib.	Description
KMP	GCU2	All	
KMP	PADDELSHIFT	All	
MEGALINE	PADDELSHIFT	All	







Page 9

Version

Date

Change/additions

■ Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
MAXXECU	CAN	All	Add new channels
MOTEC	M1	All	Corrected gear management
PORSCHE	991_911	All	Add channels
BMW	BMW_PT6	All	Add channels
BOSCH	ABS_M4_500kbits	All	Add channels
BOSCH	ABS_M4_1Mbit	All	Add channels

3.08.02 Feb 19th 2016

- Bitfields ECU channels management, user can now set alarms on single bit of channel.
 It requires firmware version 1.18.12 or later.
- Fixed bug receiving-importing-cloning a configuration with math channels
- Bugfix in web updates window, that could create random crashes
- Bug fix for track length measure units while editing tracks
- Track creation window: fixed difference between the GPS Manager and the RS3 software that used to introduce in RS3 difficulties in case of small kart tracks
- RS3 now asks if the user wants to share new tracks also while downloading data, and warns that RS3 behaviour for sharing data with AiM can be modified using settings->upload icon menu
- Modified the maximum number of decimal places for Lambda, milliSec and angle degree
- Small issue fix for Wi-Fi communication in case of connection to existing network. For this issue
 it could happen that devices disappeared form the network to reappear few seconds later
- Wi-Fi settings for virtualized Windows (MacOS case) have been made more visible to users
- RS3 now warns users in case of a bad configuration in the device, and advices to send a new one
- Modified call to system dialogs for file open in order to avoid giff format and have gif instead
- New tracks added

3.08.00

Feb 11th 2016

- EVO5 configuration
- Possibility to insert custom text in download fields (for file name and path) and to customize "venue types" strings
- Possibility to save data in matlab and csv and kml format while downloading
- Improvements in Wi-Fi reliability for MyChron5
- Improvements in tracks management







Page 10

Version

3.07.03

Date

Jan 7th 2016

Change/additions

- Some more new race tracks: Guangdong, Shanghai kart, Lockarp
- Bugfix: for MyChron5 RS3 features the new integrated GPSManager, for all other devices it runs the old GPSManager, while before the MyChron5 view was called for all devices
- Bugfix: problems could arise with custom sensors (blank lines into the sensors database)
 while updating from 3.06.xx to 3.07.xx, now everything is correctly managed
- Bugfix: while inserting ratios in "Precalculated Gear" math channel the resulting value could be wrong

3.07.00 Dec 23rd 2015

■ Track management for MyChron5

3.06.20 Dec 4th 2015

- New WiFi support
- Customizable logo
- Revised menu system:
 - Track display via menu
 - WiFi status
- System parameters editable via RS3 and menu
- Improved and faster test list handling
- Autorecording (standard conditions) will not be triggered by GPS speed alone, RPM or another speed required (avoid false positives)

Released the following ECUs:

Manufacturer	Model	Compatib.	Description
LOTUS	Clusters 11 _ Exige Cup R	All	
MCLAREN	650S	All	
HELFTEC	ECU 4.1	All	
PEUGEOT	RCZ_CUP	All	
ALFA ROMEO	4C	All	
HONDA	HDS_TAB_10	All	
HONDA	HDS_TAB_11	All	
BRP	SKI_DOO_MXZ_600RS	All	
YAMAHA	R6_MS_Retail	All	
GM	E67_PERF_ECU	All	
PROEFI	128	All	
MECTRONIK	MV_ECU_KIT_476	All	
MARELLI	SRT_CN2	All	
MARELLI	CAN_LMP3	All	
EMTRON	PAVLOTECH	All	

AiM Software Documentation





Race Studio 3 Release history

Page 11

Version Date

Change/additions

AEM	INFINITYV.96CAN	All	
PEUGEOT	Funyo_sp05	All	
JAS	TCR	All	
TURNER	CUSTOM	All	

■ Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
TOMS	DOME_FIA_F4	All	
MOTEC	M84	All	Add USER 2 channel defined as oil temperature
HALTECH	CAN_V2	All	Fix Bug related on Engine state channel
MARELLI	PROTO_V8	All	Update all channels list
SC	TYPHOON_TORNADO_V3	All	Fix Bug related on speeds channels

3.05.02

May 27th 2015

- MXG/MXS display pages improvements:
 - New Rally Page
 - Added possibility to show odometers and different time fields
- Minor bug fixed
- Released the following ECUs:

Manufacturer	Model	Compatib.	Description
MICROTEC	TM	All	
BOSCH	Tuner MS4 E46 M3	All	
FAST	XFI	All	
GM	C7_STINGRAY	All	
MECTRONIK	MK_E7	All	
FUEL_TECH	CAN	All	
MARELLI	FORMULA_MASTERS_CHINA_SERIES	All	
TEVES	MK60_ABS_MS	CAN2	
TEVES	MK60_ABS_STD	CAN2	

Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
TOYOTA	GT86/SCION_FRS	All	Correction bug related to Water temperature offset
AUDI	CAN_PQ35_P5	All	Added oil temperature 2 channel
MARELLI	SRA_SRAE_SRT	All	Fixed bug related to ECU channels management







Page 12

Version

Date

3.05.00

May 11th 2015

Change/additions

- New web updates management: now it is possible to download device firmware even if no device is connected. Devices will be updatable once connected
- Now it is possible to show odometers and lap times information on the display and to remove undesired fields
- Improved start data recording management in order to avoid possible recording failure conditions due to lap channels and odometers
- New encryption management for the configuration of CAN2 and CAN1
- Added math channel to use precalculated gearings
- Introduced 'Clone' possibilities for configurations
- Fixed decimal figures management in analysis of drks from MXG-MXL2: now all places in which a channel is shown are coherent
- Improved autoselection management of xrk files in download window
- Improved test properties and forced values management in RS3 download window
- Improvements and fixes in management of deletion of alarms and math channels
- Minor improvements in user interface
- Minor improvements in the configuration of MXL2 display

■ Released the following ECUs:

Manufacturer	Model	Compatib.	Description
ALFA ROMEO	4C	MXL2 MXS MXG	
TOMS	DOME_FIA_F4	MXL2 MXS MXG	

Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
MBE	9A8998CAN	MXL2 MXS MXG	Correction bug related to 6th gear management
MBE	9A9CAN	MXL2 MXS MXG	Correction bug related to 6th gear management







Page 13

Version Date
3.04.08 Mar 24th 2015

Change/additions

- Improvement: colors for devices icon in the upper part of the main window
- Improvement: in download window it is now possible to choose if to automatically select for download all files that still have to be downloaded
- Improvement: import/export management for custom sensors
- Improvement: better management of MXG page "Driver page 5 V2"
- Minor bugs fixing

3.04.07 Mar 12th 2015

- Improvement: on MXG (and coming MXS) it's now possible to use measure colors as an alarm
- Improvement: download page has been revisited to better manage fields like driver name, vehicle name, track name, etc... it's now possible to force their values to values different from those previously inserted
- Fix/improvement: it's now possible to configure units for GPS Speed, seen as a channel of the device
- Fix: channel names in math channels definition are now correctly matching
- Fix: "select folder" window is now working also in Windows XP
- Fix: upon selecting a sensor, then selecting a new sensor, then going back to the previous it could happen that some parameters were not properly managed
- Fix: upon creating a "calculated gear" math channel, the display part of the configuration could be missing it's presence
- Fix: coordinates channels can't now be used any more to create alarms
- Fix: total potentiometer travel is now better managed for angular potentiometers
- Fix: in some cases, selecting "no ECU" in a configuration created with an ECU, the new set was missed
- Released the following ECUs:

Manufacturer	Model	Compatib.	Description
STACK	TPMS_CONTROL_UNIT	All	Add this driver in can2 page selection

Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
FIAT_ABARTH	CAN STANDARD	All	Change ECU model name the last was: CAN
EFI_EUROPE	EURO_8	All	Update protocol for new EFI EURO8 firmware
BMW	BMW_MINI	All	Correct bug related to Steering angle channel and add gear and 2nd steer angle channels





January, 18th 2017

Race Studio 3 Release history

Page 14

Version

Date

Change/additions

3.03.17

Jan 14th 2015

- Fixed crash on sending and receiving configuration
- Minor improvements
- PRS sensors curves corrected
- Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
SUZUKI	SDS_Protocol	MXL2/MXG	Correction bug related to k-line start up communication
SUZUKI	RMZ	MXL2/MXG	Correction bug related to k-line start up communication

3.03.14

Dec 23rd 2014

- Fixed crash that appears when you try to use RS3 on a Surface computer with Windows 8 and touch screen enabled
- Updated user strings
- Improvement in window of measure position settings
- Released the following ECUs:

Manufacturer	Model	Compatib.	Description
SCCA Enterprises	Formula Enterprises	All	
SCCA Enterprises	Spec Racer Ford, GEN3A	All	
BLACK_BOX	M3	All	
OLSBERGS	MSE	All	
PERFORMANCE_EL	ECU_PE3	All	Renamed old ECU_EDGE

Upgrade/Bug Fix ECUs:

Manufacturer	Model	Compatib.	Description
MARELLI	SRA_SRAE_SRT	All	Changed gear channel measure

3.03.12

Dec 16th 2014

- Minor improvements on ECU channels, gear calibration, custom sensors and odometers
- Fixed PT100 management issue
- Fixed crash while opening software and opening configurations

3.03.10

Dec 9th 2014

General improvements and minor bugs fixed







Page 15

Version **3.03.09**

Date

Nov 28th 2014

Change/additions

- Editbox, bug fixed: now, if you type ".361" you get "0.361" and not 361.0
- It is possible to execute a download from more than one device in parallel
- Editbox: custom sensors names now are 26 character max
- Bug fixed in Channel Expansion udm
- Set Parameters: balloon tooltip now is available
- Internal gyro and acc frequency from 20Hz to 50Hz
- Bug fixed in speed pulses "not set" in channel choices now only when it makes sense
- New math channels management
- New parameters management for angular speed
- ECUS: lambda fid bug fixed
- MXG calculated gear now available in the display